SAFETY DATA SHEET

DNA Dye



1/16

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: DNA Dye
Product code	: Not applicable
Product type	: Liquid.
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

- : Fluorescent labeling of DNA Dye
- Area of application

Product use

: Professional applications.

Uses advised against	Reason	
This product is not intended for use in humans or animals.	-	

1.3 Details of the supplier of the safety data sheet

Bruker Spatial Biology, Inc. 4340 Duncan Avenue, Suite 220 Saint Louis, Missouri 63110 United States e-mail address of person : Info.canopy@bruker.com responsible for this SDS

1.4 Emergency telephone number

Supplier

Telephone number : +1 866-963-4342 (US) or +49 6221-1873170 (EMEA/HDL) | 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to UK CLP/GHS

Eye Irrit. 2, H319

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown toxicity : 96 percent of the mixture consists of component(s) of unknown acute inhalation toxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

2019/758	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI	
	2019/758	

DNA Dye		
SECTION 2: Hazards identification		
Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H319 - Causes serious eye irritation.	
Precautionary statements		
Prevention	: P280 - Wear eye or face protection.	
Response	 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. 	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Supplemental label elements	: Not applicable.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Special packaging requirem	<u>ients</u>	
Containers to be fitted with child-resistant fastenings	: Not applicable.	
Tactile warning of danger	: Not applicable.	
.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	
Other hazards which do	: None known.	

not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture				
Product/ingredient name	Identifiers	%	Classification	Туре
dimethyl sulfoxide	EC: 200-664-3 CAS: 67-68-5	≥90	Eye Irrit. 2, H319 See Section 16 for the full text of the H statements declared above.	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

DNA Dye

SECTION 3: Composition/information on ingredients

Туре

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures		
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. 	
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/sy	<u>mptoms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	Treat symptomatically Contact poison treatment specialist imme

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
One shifts the stress of a	N La constanti d'Anna a Anna a A

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures		
5.1 Extinguishing media Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising	fron	n the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides Thermal decomposition can lead to release of irritating and toxic gases and vapors.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.
SECTION & Accider	ta	rologgo magguros

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

4/16

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Keep container tightly closed and store at recommended temperature. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological exposure indices

None known.

SECTION 8: Exposure controls/personal protection

•	• •
Recommended monitoring : procedures	Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs	
Product/ingredient name	Result
dimethyl sulfoxide	DNEL - General population - Long term - Inhalation 3.13 mg/m ³
	Effects: Local
	DNEL - General population - Long term - Oral
	1.67 mg/kg bw/day
	Effects: Systemic
	DNEL - General population - Long
	term - Dermal
	178 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation
	56 mg/m³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal
	356 mg/kg bw/day
	Effects: Systemic
	DNEL - Workers - Long term -
	Inhalation 17.67 mg/m³
	Effects: Local
	DNEL - Workers - Long term - Inhalation 75 mg/m³
	Effects: Systemic
PNECs	
Not available.	
8.2 Exposure controls	
Appropriate engineering : controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Date of issue/Date of revision

^{: 09/07/2025} Date of previous issue :

SECTION 8: Exposure controls/personal protection

Individual protection measu	<u>Ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Date of issue/Date of revision	: 09/07/2025 Date of previous issue	: No previous validation	Version : 1	7/16
Upper/lower flammability or explosive limits	: Not available.			
Flammability (solid, gas)	: Not available.			
Initial boiling point and boiling range	: Not applicable.			
Melting point/freezing point	: Not available.			
Odour threshold	: Not available.			
Odour	: Odourless.			
Colour	: Clear.			
Physical state	: Liquid.			
Appearance				

SECTION 9: Physical ar	۱d	chemical pro	pertie	S					
Flash point	:	Not applicable.							
Auto-ignition temperature	1	Ingredient name		°C		°F		Method	
		dimethyl sulfoxide		300 to	o 302	572 to	575.6		
Decomposition temperature		Not available.							
рН	:	Not available.							
Viscosity	:	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C): Not available.							
Solubility(ies)	:	Media	R	esult					
		water	E	asily solub	ole				
Partition coefficient: n-octanol/ water	:	Not applicable.							
Vapour pressure	:		Vapou	r Press	sure at	20°C	Vap	our pres	sure at 50°C
		Ingredient name	mm Hg	kPa	Meth	od	mm Hg	kPa	Method
		dimethyl sulfoxide	0.42	0.056	EU A.	4			
Evaporation rate	:	Not available.							
Relative density	1	Not available.							
Vapour density	1	Not available.							
Explosive properties	1	Not available.							
Oxidising properties	1	Not available.							
Particle characteristics									
Median particle size	:	Not applicable.							
9.2 Other information									
Physical/chemical properties comments	:	No additional inform	nation.						
SECTION 10: Stability a	n	d reactivity							
10.1 Reactivity : I	No	specific test data re	lated to r	eactivity	/ availa	ble for	this pro	oduct or it	s ingredients.
10.2 Chemical stability :	Th	e product is stable.							
hazardous reactions	Un	der normal conditior der normal conditior cur.		-					
10.4 Conditions to avoid :	No	specific data.							

DNA Dye

SECTION 10: Stability and reactivity

10.5 Incompatible materials : Reactive or incompatible with the following materials: oxidising materials.

10.6 Hazardous	: Under normal conditions of storage and use, hazardous decomposition products	
decomposition products	should not be produced.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects	
Acute toxicity	

Product/ingredient name dimethyl sulfoxide	<mark>Result</mark> Rat - Oral - LD50 14500 mg/kg	<u>Toxic effects</u> : Eye - Hemorrhage Eye - Conjunctive irritation
	Rat - Dermal - LD50 40000 mg/kg	

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
dimethyl sulfoxide	14500	40000	N/A	N/A	N/A

Skin corrosion/irritation

Product/ingredient name dimethyl sulfoxide	Result Rabbit - Skin - Mild irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 mg
	Rabbit - Skin - Mild irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 10 mg
	Rabbit - Skin - Mild irritant Amount/concentration applied: 100 mg
Conclusion/Summary [Product]	: Not available.
Serious eye damage/eye irritation Product/ingredient name	Result

DNA Dye

Rabbit - Eyes - Mild irritant Duration of treatment/exposure: 24
hours
Amount/concentration applied: 500 mg
Rabbit - Eyes - Mild irritant
Amount/concentration applied: 100 mg
Rabbit - Eyes - Mild irritant
Amount/concentration applied: 0.1 MI
: Not available.
: Not available.
: Not available.
le exposure)
eated exposure)

Date of issue/Date of revision

SECTION 11: Toxicological information

Information on likely routes	s of exposure			
Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.				
Potential acute health effect	<u>ts</u>			
Eye contact	: Causes serious eye irritation.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Conclusion/Summary [Pro	oduct] : Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity Product/ingredient name

Result

SECTION 12: Ecological information dimethyl sulfoxide Acute - LC50 - Fresh water Effect: Mortality Fish - Fathead minnow - Pimephales promelas Age: 31 days; Size: 15.8 mm; Weight: 0.062 g 34 g/l [96 hours] Acute - LC50 - Fresh water Effect: Mortality Daphnia - Water flea - Daphnia magna - Neonate Age: <24 hours 2.5 pph [48 hours] Acute - EC50 - Marine water Effect: Population OECD Algae - Diatom - Nitzschia pungens 18.299 mg/l [96 hours] **Chronic - NOEC - Marine water** Effect: Population Algae - Diatom - Nitzschia pungens OECD 3323 µg/l [96 hours] **Chronic - NOEC - Fresh water** Effect: Reproduction Daphnia - Water flea - Daphnia magna OECD - Juvenile (Fledgling, Hatchling, Weanling) Age: 6 days 100 µl/l [21 days] **Conclusion/Summary [Product]** : Not available. 12.2 Persistence and degradability **Product/ingredient name** Result OECD [Ready Biodegradability dimethyl sulfoxide Aerobic

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
dimethyl sulfoxide	-	-	Not readily

31% [28 days] - Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
dimethyl sulfoxide	-1.35	3.16	Low

12.4 Mobility in soil

Soil/water partition	: Not available
coefficient	
Mobility	: Not available

: Not available.

Date of issue/Date of revision

: 09/07/2025 Date of previous issue

: No previous validation

Closed Bottle Test]

DNA Dye

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
dimethyl sulfoxide	No	N/A	No	No	No	N/A	No

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product **Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Hazardous waste : The classification of the product may meet the criteria for a hazardous waste. Packaging Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. **Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

SECTION 14: Transport information

14.6 Special precautions for	1	Transport within user's premises: always transport in closed containers that are
user		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

 14.7 Transport in bulk
 : Not available.

 according to IMO
 instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
DNA Dye	≥90	3

Labelling : Not applicable.

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions (integrated pollution prevention and control) - Air	:	Listed
Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Version :1

SECTION	15: Reg	gulatory	information
---------	---------	----------	-------------

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
	ADR = The European Agreement concerning the International Carriage of
	Dangerous Goods by Road
	ATE = Acute Toxicity Estimate
	GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and
	Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019
	No. 720 and amendments
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = GB CLP-specific Hazard statement
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods
	IMO = International Maritime Organization
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RID = The Regulations concerning the International Carriage of Dangerous Goods
	by Rail
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
	ve vo – very e elsistent and very bioaccultulative

Procedure used to derive the classification

Classification	Justification	
Eye Irrit. 2, H319	Calculation method	

Full text of abbreviated H statements

H319	Causes serious eye irritation.
Full text of classifications	
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Date of issue/ Date of revision	: 09/07/2025
Date of previous issue	e : No previous validation
Date of issue/Date of revisi	on : 09/07/2025 Date of previous issue : No previous validation Version : 1 15/16

SECTION 16: Other information

: 1

Version

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.